ERAZE GEL

Page: 1 Compilation date: 26/06/2015 Revision date: 23/07/2020

Revision No: 8

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: ERAZE GEL

Product code: 580

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC9a: Coatings and paints, thinners, paint removers.

1.3. Details of the supplier of the safety data sheet

Company name: Fisher Research

68	Bilton	Way

Enfield

Middlesex

EN3 7NH

United Kingdom

Tel: +44 (0)208 804 1891

Fax: +44 (0)208 443 1868

Email: sales@fisherresearch.com

1.4. Emergency telephone number

Emergency tel: +44 (0)208 804 1891

(office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Eye Irrit. 2: H319; Skin Irrit. 2: H315

Most important adverse effects: Causes skin irritation. Causes serious eye irritation.

2.2. Label elements

Label elements: Hazard statements: H315: Causes skin irritation. H319: Causes serious eye irritation. Hazard pictograms: GHS07: Exclamation mark



Signal words: Warning

ERAZE GEL

Precautionary statements:	P264: Wash hands thoroughly after handling.
	P280: Wear protective gloves/eye protection.
	P302+P352: IF ON SKIN: Wash with plenty of water.
	P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P321: Specific treatment (see instructions on this label)
	P362+P364: Take off contaminated clothing and wash it before reuse.
Haz. ingredients (label):	3-BUTOXYPROPAN-2-OL; N,N-DIMETHYL 9-DECENAMIDE; BENZENESULPHONIC
	ACID, 4-C10-13-SEC-ALKYL DERIVS., COMPDS. WITH 2-PROPANAMINE

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

3-BUTOXYPROPAN-2-OL

EINECS	CAS	PBT / WEL	CLP Classification	Percent
225-878-4	5131-66-8	-	Eye Irrit. 2: H319; Skin Irrit. 2: H315	1-10%

2,2',2"-NITRILOTRIETHANOL

203-049-8	102-71-6	Substance with a Community	-	1-10%
		workplace exposure limit.		

N,N-DIMETHYL 9-DECENAMIDE

- 1356964-77 -6	-	Acute Tox. 4: H302; Skin Irrit. 2: H315; Eye Irrit. 2: H319; STOT SE 3: H335; Aquatic Chronic 3: H412	1-10%
		Aqualic Chilonic 5. 11412	
			1

BENZENESULPHONIC ACID, 4-C10-13-SEC-ALKYL DERIVS., COMPDS. WITH 2-PROPANAMINE

284-664-9	84961-74-0	-	Aquatic Chronic 3: H412; Skin Irrit. 2:	1-10%
			H315; Eye Irrit. 2: H319	

PROPAN-2-OL - REACH registered number(s): 01-2119457558-25-XXXX

200-661-7	67-63-0	-	Flam. Liq. 2: H225; Eye Irrit. 2: H319;	<1%
			STOT SE 3: H336	

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist

examination.

Ingestion: Wash out mouth with water.

Page: 2

ERAZE GEL

Page: 3

Inhalation: Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

ERAZE GEL

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

2,2',2"-NITRILOTRIETHANOL

Workplace exposure limits:

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
EU	13 mg/m3(Sk)	-	-	-

PROPAN-2-OL

UK 999 mg/m3 1250 mg/m3	
-------------------------	--

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area. Respiratory protection: In case of insufficient ventilation, wear suitable respiratory equipment.

Hand protection: Protective gloves.

Eye protection: Tightly fitting safety goggles. Ensure eye bath is to hand.

Skin protection: Protective clothing.

9.1. Information on basic physical and chemical properties

State:	Liquid			
Colour:	Straw			
Odour:	Characteristic odour			
Evaporation rate:	No data available.			
Oxidising:	Non-oxidising (by EC criteria)			
Solubility in water:	Miscible			
Viscosity:	Viscous			
Viscosity test method:	Brookfield			
Boiling point/range°C:	No data available.	Melting point/range°C:	No data available.	
Flammability limits %: lower:	No data available.	upper:	No data available.	
Flash point°C:	No data available. Part.o	coeff. n-octanol/water:	No data available.	
Autoflammability°C:	No data available.			[cont]

Page: 4

Respirable dust:

Section 9: Physical and chemical properties

ERAZE GEL

Page: 5

Vapour pressure: No data available.

Relative density: 0.990 - 1.020

VOC g/l: 364

pH: Not applicable.

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

3-BUTOXYPROPAN-2-OL

SKN RBT LD50	3100	mg/kg
--------------	------	-------

2,2',2"-NITRILOTRIETHANOL

DERMAL	RBT	LD50	> 2000	mg/kg
ORAL	RAT	LD50	> 4000	mg/kg

PROPAN-2-OL

IVN RAT LD50 1088 mg	mg/kg
----------------------	-------

ERAZE GEL

ORL	MUS	LD50	3600	mg/kg
ORL	RAT	LD50	5045	mg/kg
SCU	MUS	LDLO	6	gm/kg

Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

2,2',2"-NITRILOTRIETHANOL

ALGAE	72H ErC50	> 100	mg/l
BLUEGILL (Lepomis macrochirus)	96H LC50	> 100	mg/l
Daphnia magna	48H EC50	> 100	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

Page: 6

ERAZE GEL

		Page:	7
13.1. Waste treatment methods			
Disposal operations:	Transfer to a suitable container and arrange for collection by specialised disposal		
	company.		
NB:	The user's attention is drawn to the possible existence of regional or national		
	regulations regarding disposal.		
Section 14: Transport information	ion		
Transport class:	This product does not require a classification for transport.		
Section 15: Regulatory informa	tion		
15.1. Safety, health and environ	mental regulations/legislation specific for the substance or mixture		
Specific regulations:	Not applicable.		
15.2. Chemical Safety Assessm	ent		
Chemical safety assessment:	A chemical safety assessment has not been carried out for the substance or the mixture		
	by the supplier.		
Section 16: Other information			
Other information			
Other information:	according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation		
	(EU) 2015/830		
	* indicates text in the SDS which has changed since the last revision.		
Phrases used in s.2 and s.3:	H225: Highly flammable liquid and vapour.		
	H302: Harmful if swallowed.		
	H315: Causes skin irritation.		
	H319: Causes serious eye irritation.		
	H335: May cause respiratory irritation.		
	H336: May cause drowsiness or dizziness.		
	H412: Harmful to aquatic life with long lasting effects.		
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive		
	and shall be used only as a guide. This company shall not be held liable for any		
	damage resulting from handling or from contact with the above product.		