

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 14/04/2017 Revision date: 13/07/2016 :

Version: 10.01

			: Version: 10.01
SOLVENT DEGREASER			K123
SECTION 4. Identification	f the cubeton of herization		
1.1. Product identifier	or the substance/mixtur	e and of the company/undertaking	
Product form	: Mixture		
Product name	: SOLVENT DEC	REASER	
Product code	: K123C		
Type of product	: Aerosol		
Vaporizer	: Aerosol		
•	of the substance or mixture a	and uses advised against	
1.2.1. Relevant identified uses			
Main use category	: Professional us		
Industrial/Professional use spec	: For professional		
Use of the substance/mixture	: Cleaning solve	,	
	. Cleaning solve	in the second	
1.2.2. Uses advised against			
No additional information available			
1.3. Details of the supplier of			
SELDEN RESEARCH LIMITED		BUXTON, DERBYSHIRE, SK17 9RZ, UNITED KIN0 Fax: 01298 26540 Email: safety@selden.co.uk	
_			
1.4. Emergency telephone nu			
	Mon to Fri 8.30	am to 5.00pm - 01298 26226	
<b>SECTION 2: Hazards identif</b>	fication		
2.1. Classification of the sub	stance or mixture		
Classification according to Regula	ation (EC) No. 1272/2008 [CLF	2	
Aerosol 1 H222;H229			
Skin Irrit. 2 H315			
Skin Irrit. 2H315Eye Irrit. 2H319			
Skin Irrit. 2         H315           Eye Irrit. 2         H319           STOT SE 3         H336			
Skin Irrit. 2H315Eye Irrit. 2H319STOT SE 3H336Aquatic Chronic 2H411	stomente : coo costion 16		
Skin Irrit. 2H315Eye Irrit. 2H319STOT SE 3H336Aquatic Chronic 2H411	itements : see section 16		
Skin Irrit. 2H315Eye Irrit. 2H319STOT SE 3H336Aquatic Chronic 2H411Full text of hazard classes and H-state	atements : see section 16		
Skin Irrit. 2H315Eye Irrit. 2H319STOT SE 3H336Aquatic Chronic 2H411Full text of hazard classes and H-state2.2.Label elements			
Skin Irrit. 2H315Eye Irrit. 2H319STOT SE 3H336Aquatic Chronic 2H411Full text of hazard classes and H-state2.2.Label elementsLabelling according to Regulation			
Skin Irrit. 2H315Eye Irrit. 2H319STOT SE 3H336Aquatic Chronic 2H411Full text of hazard classes and H-state2.2.Label elements			
Skin Irrit. 2H315Eye Irrit. 2H319STOT SE 3H336Aquatic Chronic 2H411Full text of hazard classes and H-sta2.2.Label elementsLabelling according to Regulation			
Skin Irrit. 2H315Eye Irrit. 2H319STOT SE 3H336Aquatic Chronic 2H411Full text of hazard classes and H-sta2.2.Label elementsLabelling according to Regulation			
Skin Irrit. 2H315Eye Irrit. 2H319STOT SE 3H336Aquatic Chronic 2H411Full text of hazard classes and H-sta2.2.Label elementsLabelling according to Regulation			
Skin Irrit. 2 H315 Eye Irrit. 2 H319 STOT SE 3 H336 Aquatic Chronic 2 H411 Full text of hazard classes and H-sta 2.2. Label elements Labelling according to Regulation Hazard pictograms (CLP)	e (EC) No. 1272/2008 [CLP]	HS07 GHS09	
Skin Irrit. 2       H315         Eye Irrit. 2       H319         STOT SE 3       H336         Aquatic Chronic 2       H411         Full text of hazard classes and H-sta         2.2.       Label elements         Labelling according to Regulation         Hazard pictograms (CLP)	e (EC) No. 1272/2008 [CLP]		
Skin Irrit. 2       H315         Eye Irrit. 2       H319         STOT SE 3       H336         Aquatic Chronic 2       H411         Full text of hazard classes and H-sta         2.2.       Label elements         Labelling according to Regulation         Hazard pictograms (CLP)	e (EC) No. 1272/2008 [CLP] GHS02 : Danger : propan-2-ol, iso	opropyl alcohol, isopropanol; Hydrocarbons, C	C7, n-alkanes, isoalkanes, cyclics;
Skin Irrit. 2       H315         Eye Irrit. 2       H319         STOT SE 3       H336         Aquatic Chronic 2       H411         Full text of hazard classes and H-sta         2.2.       Label elements         Labelling according to Regulation         Hazard pictograms (CLP)         Signal word (CLP)         Hazardous ingredients	e (EC) No. 1272/2008 [CLP] : GHS02 : Danger : propan-2-ol, iso Hydrocarbons,	opropyl alcohol, isopropanol; Hydrocarbons, C C6, isoalkanes, <5% n-hexane	C7, n-alkanes, isoalkanes, cyclics;
Skin Irrit. 2 H315 Eye Irrit. 2 H319 STOT SE 3 H336 Aquatic Chronic 2 H411 Full text of hazard classes and H-sta 2.2. Label elements Labelling according to Regulation Hazard pictograms (CLP) Signal word (CLP) Hazardous ingredients	e (EC) No. 1272/2008 [CLP] : GHS02 : Danger : propan-2-ol, iso Hydrocarbons, : H222 - Extremo	opropyl alcohol, isopropanol; Hydrocarbons, C	C7, n-alkanes, isoalkanes, cyclics;
Skin Irrit. 2       H315         Eye Irrit. 2       H319         STOT SE 3       H336         Aquatic Chronic 2       H411         Full text of hazard classes and H-sta         2.2.       Label elements         Labelling according to Regulation         Hazard pictograms (CLP)         Signal word (CLP)         Hazardous ingredients	e (EC) No. 1272/2008 [CLP] GHS02 E Danger E propan-2-ol, iso Hydrocarbons, H222 - Extremu H229 - Pressui H315 - Causes	opropyl alcohol, isopropanol; Hydrocarbons, C C6, isoalkanes, <5% n-hexane ely flammable aerosol rised container: May burst if heated s skin irritation	C7, n-alkanes, isoalkanes, cyclics;
Skin Irrit. 2       H315         Eye Irrit. 2       H319         STOT SE 3       H336         Aquatic Chronic 2       H411         Full text of hazard classes and H-sta         2.2.       Label elements         Labelling according to Regulation         Hazard pictograms (CLP)         Signal word (CLP)         Hazardous ingredients	e (EC) No. 1272/2008 [CLP] GHS02 E Danger E propan-2-ol, iso Hydrocarbons, H222 - Extremon H229 - Pressuu H315 - Causes H319 - Causes	opropyl alcohol, isopropanol; Hydrocarbons, C C6, isoalkanes, <5% n-hexane ely flammable aerosol rised container: May burst if heated s skin irritation s serious eye irritation	C7, n-alkanes, isoalkanes, cyclics;
Skin Irrit. 2 H315 Eye Irrit. 2 H319 STOT SE 3 H336 Aquatic Chronic 2 H411 Full text of hazard classes and H-sta 2.2. Label elements Labelling according to Regulation Hazard pictograms (CLP) Signal word (CLP) Hazardous ingredients	P (EC) No. 1272/2008 [CLP] GHS02 E Danger Propan-2-ol, isc Hydrocarbons, H222 - Extremu H229 - Pressu H315 - Causes H319 - Causes H336 - May ca	opropyl alcohol, isopropanol; Hydrocarbons, C C6, isoalkanes, <5% n-hexane ely flammable aerosol rised container: May burst if heated s skin irritation s serious eye irritation use drowsiness or dizziness	C7, n-alkanes, isoalkanes, cyclics;
Skin Irrit. 2 H315 Eye Irrit. 2 H319 STOT SE 3 H336 Aquatic Chronic 2 H411 Full text of hazard classes and H-sta 2.2. Label elements Labelling according to Regulation Hazard pictograms (CLP) Signal word (CLP) Hazardous ingredients Hazard statements (CLP)	e (EC) No. 1272/2008 [CLP] GHS02 E Danger E propan-2-ol, iso Hydrocarbons, H222 - Extremu H229 - Pressu H315 - Causes H319 - Causes H336 - May ca H411 - Toxic to	opropyl alcohol, isopropanol; Hydrocarbons, C C6, isoalkanes, <5% n-hexane ely flammable aerosol rised container: May burst if heated skin irritation serious eye irritation use drowsiness or dizziness o aquatic life with long lasting effects	C7, n-alkanes, isoalkanes, cyclics;
Skin Irrit. 2H315Eye Irrit. 2H319STOT SE 3H336Aquatic Chronic 2H411Full text of hazard classes and H-state2.2.Label elementsLabelling according to Regulation	e (EC) No. 1272/2008 [CLP] GHS02 E Danger E propan-2-ol, isc Hydrocarbons, H222 - Extrem H229 - Pressu H315 - Causes H319 - Causes H319 - Causes H316 - May ca H411 - Toxic to P102 - Keep on P210 - Keep on	opropyl alcohol, isopropanol; Hydrocarbons, C C6, isoalkanes, <5% n-hexane ely flammable aerosol rised container: May burst if heated s skin irritation s serious eye irritation use drowsiness or dizziness	
Skin Irrit. 2 H315 Eye Irrit. 2 H319 STOT SE 3 H336 Aquatic Chronic 2 H411 Full text of hazard classes and H-sta 2.2. Label elements Labelling according to Regulation Hazard pictograms (CLP) Signal word (CLP) Hazardous ingredients Hazard statements (CLP)	r (EC) No. 1272/2008 [CLP] GHS02 E Danger E propan-2-ol, isc Hydrocarbons, H222 - Extrem H229 - Pressul H315 - Causes H319 - Causes H319 - Causes H316 - May ca H411 - Toxic to P102 - Keep on P210 - Keep an smoking	opropyl alcohol, isopropanol; Hydrocarbons, C C6, isoalkanes, <5% n-hexane ely flammable aerosol rised container: May burst if heated skin irritation serious eye irritation use drowsiness or dizziness o aquatic life with long lasting effects ut of reach of children way from heat, hot surfaces, sparks, open flar	nes and other ignition sources. No
Skin Irrit. 2 H315 Eye Irrit. 2 H319 STOT SE 3 H336 Aquatic Chronic 2 H411 Full text of hazard classes and H-sta 2.2. Label elements Labelling according to Regulation Hazard pictograms (CLP) Signal word (CLP) Hazardous ingredients Hazard statements (CLP)	e (EC) No. 1272/2008 [CLP] GHS02 GHS02 E Danger E propan-2-ol, isk Hydrocarbons, H222 - Extreme H229 - Pressus H319 - Causes H319 - Causes H336 - May ca H411 - Toxic to P102 - Keep ou P210 - Keep an smoking P211 - Do not	opropyl alcohol, isopropanol; Hydrocarbons, C C6, isoalkanes, <5% n-hexane ely flammable aerosol rised container: May burst if heated s skin irritation s serious eye irritation use drowsiness or dizziness o aquatic life with long lasting effects ut of reach of children	nes and other ignition sources. No
Skin Irrit. 2 H315 Eye Irrit. 2 H319 STOT SE 3 H336 Aquatic Chronic 2 H411 Full text of hazard classes and H-sta 2.2. Label elements Labelling according to Regulation Hazard pictograms (CLP) Signal word (CLP) Hazardous ingredients Hazard statements (CLP)	<ul> <li>(EC) No. 1272/2008 [CLP]</li> <li>GH502</li> <li>Danger</li> <li>propan-2-ol, ise Hydrocarbons,</li> <li>H222 - Extremu H229 - Pressul H315 - Causes H319 - Causes H319 - Causes H336 - May ca H411 - Toxic to</li> <li>P102 - Keep on P210 - Keep an smoking P211 - Do not P251 - Do not P264 - Wash h</li> </ul>	opropyl alcohol, isopropanol; Hydrocarbons, C C6, isoalkanes, <5% n-hexane ely flammable aerosol rised container: May burst if heated skin irritation serious eye irritation use drowsiness or dizziness o aquatic life with long lasting effects ut of reach of children way from heat, hot surfaces, sparks, open flar spray on an open flame or other ignition source pierce or burn, even after use ands thoroughly after handling	nes and other ignition sources. No
Skin Irrit. 2 H315 Eye Irrit. 2 H319 STOT SE 3 H336 Aquatic Chronic 2 H411 Full text of hazard classes and H-sta 2.2. Label elements Labelling according to Regulation Hazard pictograms (CLP) Signal word (CLP) Hazardous ingredients Hazard statements (CLP)	<ul> <li>(EC) No. 1272/2008 [CLP]</li> <li>GHS02</li> <li>Danger</li> <li>propan-2-ol, ist Hydrocarbons,</li> <li>H222 - Extreme H229 - Pressur H315 - Causes H319 - Causes H319 - Causes H336 - May ca H411 - Toxic to</li> <li>P102 - Keep on P210 - Keep an smoking P211 - Do not : P251 - Do not i P264 - Wash h P271 - Use on</li> </ul>	opropyl alcohol, isopropanol; Hydrocarbons, C C6, isoalkanes, <5% n-hexane ely flammable aerosol rised container: May burst if heated s skin irritation use drowsiness or dizziness o aquatic life with long lasting effects ut of reach of children way from heat, hot surfaces, sparks, open flar spray on an open flame or other ignition source pierce or burn, even after use ands thoroughly after handling y outdoors or in a well-ventilated area	nes and other ignition sources. No
Skin Irrit. 2 H315 Eye Irrit. 2 H319 STOT SE 3 H336 Aquatic Chronic 2 H411 Full text of hazard classes and H-sta 2.2. Label elements Labelling according to Regulation Hazard pictograms (CLP) Signal word (CLP) Hazardous ingredients Hazard statements (CLP)	<ul> <li>(EC) No. 1272/2008 [CLP]</li> <li>GHS02</li> <li>Danger</li> <li>propan-2-ol, ist Hydrocarbons,</li> <li>H222 - Extremu H229 - Pressun H315 - Causes H319 - Causes H319 - Causes H336 - May ca H411 - Toxic to</li> <li>P102 - Keep of P210 - Keep an smoking P211 - Do not P251 - Do not P264 - Wash h P271 - Use onl P280 - Wear ei</li> </ul>	opropyl alcohol, isopropanol; Hydrocarbons, C C6, isoalkanes, <5% n-hexane ely flammable aerosol rised container: May burst if heated skin irritation serious eye irritation use drowsiness or dizziness o aquatic life with long lasting effects ut of reach of children way from heat, hot surfaces, sparks, open flar spray on an open flame or other ignition source pierce or burn, even after use ands thoroughly after handling	nes and other ignition sources. No

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P337+P313 - If eye irritation persists: Get medical advice/attention

P362+P364 - Take off contaminated clothing and wash it before reuse

P405 - Store locked up

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

#### 2.3. Other hazards

No additional information available

### SECTION 3: Composition/information on ingredients

#### 3.1. Substance

Not applicable

#### 3.2. Mixture

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
propan-2-ol, isopropyl alcohol, isopropanol	(CAS No) 67-63-0 (EC no) 200-661-7 (EC index no) 603-117-00-0 (REACH-no) 01- 2119457558-25	30 - 60	F; R11 Xi; R36 R67	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	(CAS No) EC:927-510-4 (EC no) 927-510-4	30 - 60	F; R11 Xn; R65 Xi; R38 N; R51/53 R67	Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Hydrocarbons, C6, isoalkanes, <5% n- hexane	(CAS No) EC:931-254-9 (EC no) 931-254-9	15 - 30	F; R11 Xn; R65 N; R51/53 R67	Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

#### Full text of R- and H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Get medical advice/attention if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash with plenty of soap and water.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Get medical advice/attention.
4.2. Most important symptoms and effect	cts, both acute and delayed
Symptoms/injuries	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/injuries after inhalation	: May cause respiratory irritation.
Symptoms/injuries after skin contact	: Repeated exposure may cause skin dryness or cracking.
Symptoms/injuries after eye contact	: Causes eye irritation.
Symptoms/injuries after ingestion	: May cause a light irritation of the linings of the mouth, throat, and gastrointestinal tract.
4.3. Indication of any immediate medica	I attention and special treatment needed

Treat symptomatically.

SECT	SECTION 5: Firefighting measures		
5.1. Extinguishing media			
Suitable	e extinguishing media	: Carbon dioxide. Dry powder. Foam.	
5.2.	Special hazards arising from the	e substance or mixture	
Fire ha	zard	: Extremely flammable aerosol.	
Explosi	on hazard	: Explosion risk in case of fire.	
5.3.	Advice for firefighters		
Firefigh	ting instructions	: Use water spray or fog for cooling exposed containers.	

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830			
SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equipment and emergency procedures			
General measures	: Remove ignition sources.		
6.1.1. For non-emergency personnel			
Emergency procedures	: Evacuate unnecessary personnel.		
6.1.2. For emergency responders			
Protective equipment	: Use personal protective equipment as required.		
6.2. Environmental precautions			
Avoid release to the environment.			
6.3. Methods and material for contain	ment and cleaning up		
For containment	: Collect spillage.		
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.		
6.4. Reference to other sections			
For further information refer to section 8: "Exp	osure controls/personal protection". For further information refer to section 13.		
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Additional hazards when processed	: Pressurized container: Do not pierce or burn, even after use.		
Precautions for safe handling	: Do not spray on an open flame or other ignition source.		
Hygiene measures	: Do not eat, drink or smoke when using this product.		
7.2. Conditions for safe storage, including any incompatibilities			
Technical measures	: Does not require any specific or particular technical measures.		
Storage conditions	: Keep away from ignition sources. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.		
Incompatible products	: Oxidizing agent. Strong acids. Strong bases.		
Incompatible materials	: Direct sunlight. Heat sources. Sources of ignition.		
Special rules on packaging	: Keep only in original container.		

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)		
Ireland	Local name	Isopropyl alcohol
Ireland	OEL (8 hours ref) (ppm)	200 ppm
Ireland	OEL (15 min ref) (ppm)	400 ppm
Ireland	Notes (IE)	Sk
United Kingdom	Local name	Propan-2-ol
United Kingdom	WEL TWA (mg/m³)	999 mg/m³
United Kingdom	WEL TWA (ppm)	400 ppm
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	1250 mg/m³
United Kingdom	WEL STEL (ppm)	500 ppm

#### 8.2. Exposure controls

Hand protection

Eye protection

- Skin and body protection
- Respiratory protection



- : Not required for normal conditions of use
- : Protective gloves
- : Safety glasses
- : Not required for normal conditions of use
- : Not required for normal conditions of use

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830		
SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Appearance	: Aerosol.	
Colour	: Colourless.	
Odour	: characteristic.	
Odour threshold	: No data available	
рН	: No data available	
Relative evaporation rate (butylacetate=1)	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: No data available	
Vapour pressure	: No data available	
Relative vapour density at 20 °C	: No data available	
Relative density	: 0.79	
Solubility	: No data available	
Log Pow	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosive properties	: No data available	
Oxidising properties	: No data available	
Explosive limits	: No data available	
9.2. Other information		
No additional information available		
SECTION 10: Stability and reactivity	ty	
10.1. Reactivity		
Pressurised container: May burst if heated.		
10.2. Chemical stability		
Stable under normal conditions.		
10.3. Possibility of hazardous reactions		
No additional information available		
10.4. Conditions to avoid		
Direct sunlight. Heat. Open flame.		
10.5. Incompatible materials		
No additional information available		
10.6. Hazardous decomposition produc	ts	

No additional information available

SECTION 11: Toxicological information			
11.1. Information on toxicological effects			
Acute toxicity	: Not classified		
Skin corrosion/irritation	: Causes skin irritation.		
Serious eye damage/irritation	: Causes serious eye irritation.		
Respiratory or skin sensitisation	: Not classified		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Not classified		
Reproductive toxicity	: Not classified		
Specific target organ toxicity (single exposure)	: May cause drowsiness or dizziness.		
Specific target organ toxicity (repeated exposure)	: Not classified		

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Aspiration hazard	: Not classified	
SOLVENT DEGREASER (CO2)		
Vaporizer	Aerosol	

SECTION 12: Ecological information 12.1. Toxicity

propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)	
LC50 fish 1	9640 mg/l
EC50 other aquatic organisms 1	13299 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	> 1000 mg/l IC50 algea (72 h) mg/l

#### 12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential	
propan-2-ol, isopropyl alcohol, isopropanol (6	7-63-0)
Log Pow	0.14
12.4. Mobility in soil	
No additional information available	

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

No additional information available

### SECTION 13: Disposal considerations

13.1. Waste treatment methods

- Waste disposal recommendations
- : Do not pierce or burn, even after use.

### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number	
UN-No. (ADR)	: 1950
UN-No. (IMDG)	: 1950
UN-No. (IATA)	: 1950
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: AEROSOLS
Proper Shipping Name (IMDG)	: AEROSOLS
Proper Shipping Name (IATA)	: AEROSOLS, FLAMMABLE
Transport document description (ADR)	: UN 1950 AEROSOLS, 2.1, (D), ENVIRONMENTALLY HAZARDOUS
Transport document description (IMDG)	: UN 1950 AEROSOLS, 2.1, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard class(es)	
ADR	
Transport hazard class(es) (ADR)	: 2.1
Danger labels (ADR)	: 2.1




#### IMDG

Transport hazard class(es) (IMDG)	:	2.1
Danger labels (IMDG)	:	2.1

K123C

### Safety Data Sheet



### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

CAO packing instructions (IATA)	: 203
CAO max net quantity (IATA)	: 150kg
Special provisions (IATA)	: A145, A167, A802
ERG code (IATA)	: 10L

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code 14.7.

IBC code : Not applicable.

**SECTION 15: Regulatory information** 

#### Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1.

#### 15.1.1. **EU-Regulations**

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

#### 15.1.2. **National regulations**

No additional information available

#### 15.2. **Chemical safety assessment**

No additional information available

#### **SECTION 16: Other information**

#### Full text of R-, H- and EUH-statements:

Aerosol 1	Aerosol, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H222	Extremely flammable aerosol
H225	Highly flammable liquid and vapour
H229	Pressurised container: May burst if heated
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness
H411	Toxic to aquatic life with long lasting effects

#### SDS EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product